

Kuchuk, Nina; Shyshatskyi, Andrii; Zhuravskyi, Yurii et al.

## Article

# The development of a method for visualizing the states of the national security system

**Reference:** Kuchuk, Nina/Shyshatskyi, Andrii et. al. (2023). The development of a method for visualizing the states of the national security system. In: Technology audit and production reserves 5 (2/73), S. 6 - 9.

<https://journals.uran.ua/tarp/article/download/285986/280916/662245>.

doi:10.15587/2706-5448.2023.285986.

This Version is available at:

<http://hdl.handle.net/11159/631608>

## Kontakt/Contact

ZBW – Leibniz-Informationszentrum Wirtschaft/Leibniz Information Centre for Economics  
Düsternbrooker Weg 120  
24105 Kiel (Germany)  
E-Mail: [rights\[at\]zbw.eu](mailto:rights[at]zbw.eu)  
<https://www.zbw.eu/econis-archiv/>

## Standard-Nutzungsbedingungen:

Dieses Dokument darf zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden. Sie dürfen dieses Dokument nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, aufführen, vertreiben oder anderweitig nutzen. Sofern für das Dokument eine Open-Content-Lizenz verwendet wurde, so gelten abweichend von diesen Nutzungsbedingungen die in der Lizenz gewährten Nutzungsrechte.

<https://zbw.eu/econis-archiv/termsfuse>

## Terms of use:

*This document may be saved and copied for your personal and scholarly purposes. You are not to copy it for public or commercial purposes, to exhibit the document in public, to perform, distribute or otherwise use the document in public. If the document is made available under a Creative Commons Licence you may exercise further usage rights as specified in the licence.*



**Nina Kuchuk,  
Andrii Shyshatskyi,  
Yurii Zhuravskyi,  
Tetiana Stasiuk,  
Oleksii Nalapko,  
Peter Sliusar,  
Nadiia Protas,  
Olena Shaposhnikova,  
Sergii Pronin,  
Oksana Havryliuk**

## THE DEVELOPMENT OF A METHOD FOR VISUALIZING THE STATES OF THE NATIONAL SECURITY SYSTEM

*The scientific task, which is solved in the research, is the cognitive display of the state of the national security system with a complex hierarchical structure. As a rule, images are created individually taking into account a specific application field and interpreted by an expert (a group of experts) based on accumulated knowledge. Cognitive mapping is designed to support decision making by an expert (group of experts), monitoring and managing in real time. The object of research is the system of ensuring national security. The subject of the research is the functioning of the national security system. The research developed a method of visualization of the states of the national security system. An overview of the methods of visual graphic presentation of information about the state of multidimensional objects and systems was carried out.*

*The novelties of the proposed method are:*

- creation of a visual, multi-level and interconnected description of the national security system;
- increasing the efficiency of decision making while assessing the state of the national security system;
- solving the problem of falling into global and local extremes while assessing the state of the national security system;
- combination of graphic and numerical display of controlled state parameters of the national security system;
- avoiding the problem of loops while visualizing the state of the national security system in real time.

*The specified method should be implemented in specialized software, which is used to analyze the state of the national security system and make management decisions.*

**Keywords:** graphical and numerical display, national security, cognitive modeling, operational efficiency of decision making, hierarchical systems.

Received date: 22.06.2023

Accepted date: 07.08.2023

Published date: 22.08.2023

© The Author(s) 2023

This is an open access article

under the Creative Commons CC BY license

### How to cite

Kuchuk, N., Shyshatskyi, A., Zhuravskyi, Y., Stasiuk, T., Nalapko, O., Sliusar, P., Protas, N., Shaposhnikova, O., Pronin, S., Havryliuk, O. (2023). The development of a method for visualizing the states of the national security system. *Technology Audit and Production Reserves*, 5 (2 (73)), 18–21. doi: <https://doi.org/10.15587/2706-5448.2023.285986>

## 1. Introduction

Nowadays, there are no single principles for building cognitive images capable of carrying information in a concise and at the same time accessible to the user, sufficient for making an adequate management decision [1–3].

As a rule, images are created individually, taking into account a specific field of application and interpreted by an expert (a group of experts) on the basis of accumulated knowledge. Multidimensional data with the help of electronic computing tools can be correlated to a cognitive graphic image in the form of integral functional profiles reflecting the features of the state of the object in the sphere of national security interests [3–5].

The existing mathematical methods of analysis and visualization of multidimensional data are poorly applicable to real-time dynamic systems and do not have

sufficient universality, which prevents their widespread implementation.

*The aim of the research* is the development of a method of displaying the states of the national security system, which has the following features [4–7]:

- the functioning of the national security system takes place in real time;
- the architecture of the national security system is hierarchical;
- different scales and ranges of changes of controlled parameters are used;
- there are gaps in data flows and work failures [2].

To visualize the current state in the system of the specified type, a cognitive graphic image is required that meets the following requirements [3, 4]:

- the presence of a mathematical apparatus for transforming the space of signs into the space of images;

- expressiveness of images, which accelerates the experts' understanding of the current situation;
- unambiguous and accurate display of the situation class «normal», «anomaly», «critical», «no info» («lack of information»);
- the ability to display the state of the national security system as a whole and the states of its individual subsystems at all levels of the hierarchy;
- the ability to display parameters with an indication of the level of deviation from the average value in the permissible operating range;
- the presence of a single formalism for describing relationships important for decision making in a symbolic space of large dimensions.

## 2. Materials and Methods

*The object of the research* is national security system.

*The subject of the research* is functioning of the national security system.

The research problem is to increase the efficiency and reliability of decision making regarding the state of the national security system. Modeling was carried out using MathCad 14 (USA). Aser Aspire based on the AMD Ryzen 5 processor was used as hardware. Fuzzy cognitive visual representation was chosen as the basic mathematical apparatus in the proposed research.

## 3. Results and Discussion

### 3.1. The development of a method of cognitive mapping of the state of the national security system

**3.1.1. An analysis of methods of presenting information about the state of complex systems.** Taking into account the methods of building cognitive images, it follows that multi-level ways of presenting the situation are most effective for monitoring the national security system. The number of levels in practical applications does not exceed three, since their increase complicates perception and reduces the efficiency of state analysis [1, 4, 6, 8–19]. The results of the review of the methods of presenting the state of complex hierarchical objects are summarized in Table 1.

An analysis of Table 1 shows that the formulated requirements are best satisfied by the cognitive presentation

of information using a fractal. Nevertheless, it has several disadvantages that reduce its ergonomic qualities, namely: a large number of small details, a small allowable multiplicity of nesting and a lack of numerical information on the cognitive image slide.

**3.1.2. The development of a method of cognitive mapping of the state of the national security system.** As a basis for the transformation of the space of parameters into the space of graphic images, let's take the method of integral contour representation:

- ordinary epicycloid:

$$\begin{cases} x = (R+d)\cos\varphi - d\cos(m+1)\varphi, \\ y = (R+d)\sin\varphi - d\sin(m+1)\varphi; \end{cases} \quad (1)$$

- ordinary hypocycloids:

$$\begin{cases} x = (R-d)\cos\varphi + d\cos(m-1)\varphi, \\ y = (R-d)\sin\varphi - d\sin(m-1)\varphi, \end{cases} \quad (2)$$

where  $R$  is the radius of a fixed circle;  $r$  is the radius of the rolling circle;  $d=r$  is the distance of point  $M$  from the center  $C$  of the derived circle;  $\varphi$  is a parameter describing the angle of inclination of the segment between the centers of the circles to the  $OX$  axis;  $m$  is an integer,  $m=R/r$ .

While turning near the center  $O(x_0, y_0)$ , per angle, multiple  $2\pi r/R$ , the epicycloid (hypocycloid) combines with itself. Both the epicycloid and the hypocycloid consist of  $m$  congruent branches. Let  $j$  be the number of branch and  $j=1, \dots, m$ , then from expressions (1) and (2) let's obtain the parametric equations for the  $j$ -th congruent branch of the epicycloid:

$$\begin{cases} x = x_0 + (R+d)\cos\psi - d\cos(m+1)\psi, \\ y = y_0 + (R+d)\sin\psi - d\sin(m+1)\psi; \end{cases} \quad (3)$$

- hypocycloids:

$$\begin{cases} x = x_0 + (R-d)\cos\psi + d\cos(m-1)\psi, \\ y = y_0 + (R-d)\sin\psi - d\sin(m-1)\psi, \end{cases} \quad (4)$$

where  $x_0$  and  $y_0$  are the coordinates of the center of the fixed circle,  $\psi \in [j\alpha, (j+1)\alpha]$ ,  $\alpha = 2\pi/m$ .

**Table 1**

The review of methods of representing the state of complex hierarchical objects

No.	Name	An appointment	Types of systems		Deviation level	Versatility	Source
			Dyna-mic	Complex hierarchies			
1	$n$ -simplex	Pattern recognition	–	+	+	+	[1]
2	Aim	Pattern recognition	–	+	+	–	[1]
3	Star	Graphical representation of multidimensional data	+	–	–	+	[12]
4	Botanical tree	Visualization of complex hierarchies	–	+	–	–	[11]
5	Novoselov fractal	Diagnostics and visualization for a complex technical object	+	+	–	+	[8]
6	An image for operators of nuclear power plants	Reflection of anomalies and the current situation during the operation of a complex object	+	+	+	–	[9]
7	Color coding based on the evaluation function	An assessment of compliance with the state of the object at a certain point in time	+	–	+	–	[6]
8	Image separator drum	Decision making support by operators of nuclear power plants	+	–	+	–	[19]
9	Choquet integral	Selection of restrictions on the parameters of the fuzzy aggregation operator of interrelated criteria	–	–	+	–	[18]
10	Fuzzy cognitive maps	Decision making support of the analyst	–	–	+	–	[4]

From equations (3) and (4), let's obtain a generalized formula for the branches of the epicycloid and hypocycloid:

$$\begin{cases} x = x_0 + (R + \xi d) \cos \psi - \xi d \cos(m + 1\xi) \psi, \\ y = y_0 + (R + \xi d) \sin \psi - d \sin(m + 1\xi) \psi, \end{cases} \quad (5)$$

where  $\xi = 1$  for the epicycloid and  $\xi = -1$  for a hypocycloid.

Let the national security system be characterized by a set of parameters  $Z = \{z_1, z_2, \dots, z_j, \dots, z_m\}$ . It is proposed to use formula (5) as the basis of the integral contour representation to solve the problem of detecting the output of parameter values  $z_j$  outside the permissible range of values  $[z_{j\min}, z_{j\max}]$ . Let's take  $d$  equal to the value of the parameter  $z_j$ , but normalized to the interval  $[-\delta, \delta]$ . For normalization, let's use the formula:

$$\bar{z}_j = \delta \left( 2 \left( \frac{z_j - z_{j\min}}{z_{j\max} - z_{j\min}} \right) - 1 \right), \quad (6)$$

where  $\delta = R/2\Phi^2$ ,  $\Phi$  is the ratio of the golden section.

Then, if the parameter  $z_j$  is equal to the average value in the permissible range, then  $d = \bar{z}_j = 0$  and curve (5) is the part of a circle. If  $\bar{z}_j < 0$ , then curve (5) is a congruent branch of the hypocycloid. If  $\bar{z}_j > 0$ , then curve (5) is a congruent branch of the epicycloid.

Let's substitute in formula (5)  $\xi d$  on  $\bar{z}_j$ , and  $d$  on  $|\bar{z}_j|$ , then the type of curve (5) will be determined by the deviation of the controlled parameter from the average value in the permissible range:

$$\begin{cases} x = x_0 + (R + \bar{z}_j) \cos \psi - \bar{z}_j \cos(m + \eta) \psi, \\ y = y_0 + (R + \bar{z}_j) \sin \psi - |\bar{z}_j| \sin(m + \eta) \psi, \end{cases} \quad (7)$$

where

$$\eta = \begin{cases} 1, & \text{if } \bar{z}_j > 0, \\ -1, & \text{if } \bar{z}_j < 0, \\ 0, & \text{if } \bar{z}_j = 0. \end{cases}$$

In cases, if  $z_j = q_1 z_{j\min}$ ,  $q_1 > 1$  or when  $z_j = q_2 z_{j\max}$ ,  $q_2 > 1$ ,  $\{q_1, q_2\} \in R$ , then  $d$ , corresponding  $|\bar{z}_j|$ , will be greater than  $r$  and curve (7) will be a branch of an elongated epicycloid or hypocycloid and form «loops». To exclude «loops», let's replace the branches of the epicycloid with an elliptic arc, if  $\bar{z}_j > r$  and the branch of the hypocycloid – to the branch of the hyperbola, if  $\bar{z}_j < -r$ .

Let's adjust formula (7) according to the introduced clarifications:

$$\begin{cases} x = x_0 + (R + \bar{z}_j) \cos \psi - \bar{z}_j \cos(m + \eta) \psi, \\ y = y_0 + (R + \bar{z}_j) \sin \psi - |\bar{z}_j| \sin(m + \eta) \psi, \end{cases}$$

if  $-r \leq \bar{z}_j \leq r$ ;

$$\begin{cases} x = x_0^e + a^e \cos \beta \cos \tau - b^e \sin \beta \sin \tau, \\ y = y_0^e + a^e \cos \beta \sin \tau + b^e \sin \beta \cos \tau, \end{cases}$$

if  $\bar{z}_j > r$ ;

$$\begin{cases} x = x_0 + a^h \cosh \theta \cos \tau - b^h \sinh \theta \sin \tau, \\ y = y_0 + a^h \cosh \theta \sin \tau + b^h \sinh \theta \cos \tau, \end{cases}$$

if  $\bar{z}_j < -r$ ,

(8)

where  $\tau = j\alpha + \alpha/2$  is an angle of rotation of the ellipse or hyperbola around the point  $O(x_0, y_0)$ ,

$$x_0^e = x_0 + R \cos \frac{\alpha}{2} \cos \tau, \quad y_0^e = y_0 + R \cos \frac{\alpha}{2} \cos \tau,$$

$$a^e = 2\bar{z}_j + R - R \cos \frac{\alpha}{2}$$

is the semimajor axis of the ellipse,  $b^e = R \sin \alpha/2$  is the semi-minor axis of the ellipse,  $a^h = R + 2\bar{z}_j$  is the real semi-axis of the hyperbola,

$$b^h = \frac{a^h R \sin \frac{\alpha}{2}}{\sqrt{\left(R \cos \frac{\alpha}{2}\right)^2 - (a^h)^2}}$$

is the imaginary semiaxis of the hyperbola,  $\theta \in [-2\pi, 2\pi]$ ,  $\beta \in [-\pi/2, \pi/2]$ .

### 3.2. The results of the analysis and discussion of the results.

The proposed method differs from the existing ones:

- it creates a visual, multi-level and interconnected description of the national security system;
- it increases the efficiency of decision making while assessing the state of the national security system;
- it solves the problem of falling into global and local extremes while assessing the state of the national security system;
- it combines graphic and numerical display of controlled state parameters of the national security system;
- it allows to visualize the state of the national security system in real time;
- it allows to avoid the problem of loops while visualizing the state of the national security system in real time;
- the accuracy of visualization of the state of the national security system does not depend on the number of individual components that make up the system.

The advantages of the research include:

- the possibility of performing calculations with source data that are different in nature and units of measurement;
- the possibility of avoiding the formation of loops while visualizing the state of the national security system;
- creating a visual, numerical, multi-level and interconnected description of the national security system.

The shortcomings of the mentioned research should include the availability of appropriate computing power and time for calculations.

It is advisable to implement the specified method in specialized software used for condition analysis of the system of ensuring national security and management decision making.

The direction of further research should be considered the further improvement of the specified method to take into account a greater number of factors during the analysis of the system state of ensuring national security and management decision making.

## 4. Conclusions

1. The research developed a method of visualization of the states of the national security system.
2. The novelty of the proposed method consists in:
  - the creation of a visual, multi-level and interconnected description of the national security system;
  - increasing the efficiency of decision making while assessing the state of the national security system;
  - solving the problem of falling into global and local extremes while assessing the state of the national security system;

- a combination of graphic and numerical display of controlled state parameters of the national security system;
  - avoiding the problem of loops while visualizing the state of the national security system in real time.
3. It is advisable to implement the specified method in specialized software used for condition analysis of the system of ensuring national security and management decision making.

### Conflict of interest

The authors declare that they have no conflict of interest in relation to this research, whether financial, personal, authorship or otherwise, that could affect the research and its results presented in this paper.

### Financing

The research was performed without financial support.

### Data availability

The manuscript has no associated data.

### References

1. Shevchenko, A. I., Baranovskiy, S. V., Bilokobylskiy, O. V., Bodianskiy, Ye. V., Bomba, A. Ya. et al.; Shevchenko, A. I. (Ed.) (2023). *Stratehiia rozvytku shuchnoho intelektu v Ukraini*. Kyiv: IPShI, 305.
2. Shyshatskiy, A. V., Bashkyrov, O. M., Kostyna, O. M. (2015). Rozvytok integrovanykh system zv'iazku ta peredachi danykh dlia potreb Zbroinykh Syl. *Ozbroiennia ta viiskova tekhnika*, 1 (5), 35–40.
3. Dudnyk, V., Sinenko, Y., Matsyk, M., Demchenko, Y., Zhyvotovskiy, R., Repilo, I. et al. (2020). Development of a method for training artificial neural networks for intelligent decision support systems. *Eastern-European Journal of Enterprise Technologies*, 3 (2 (105)), 37–47. doi: <https://doi.org/10.15587/1729-4061.2020.203301>
4. Sova, O., Shyshatskiy, A., Salnikova, O., Zhuk, O., Trotsko, O., Hrokholskiy, Y. (2021). Development of a method for assessment and forecasting of the radio electronic environment. *EUREKA: Physics and Engineering*, 4, 30–40. doi: <https://doi.org/10.21303/2461-4262.2021.001940>
5. Pievtsov, H., Turinskiy, O., Zhyvotovskiy, R., Sova, O., Zvieriev, O., Lanetskii, B., Shyshatskiy, A. (2020). Development of an advanced method of finding solutions for neuro-fuzzy expert systems of analysis of the radioelectronic situation. *EUREKA: Physics and Engineering*, 4, 78–89. doi: <https://doi.org/10.21303/2461-4262.2020.001353>
6. Yeromina, N., Kurban, V., Mykus, S., Peredrii, O., Voloshchenko, O., Kosenko, V. et al. (2021). The Creation of the Database for Mobile Robots Navigation under the Conditions of Flexible Change of Flight Assignment. *International Journal of Emerging Technology and Advanced Engineering*, 11 (5), 37–44. doi: [https://doi.org/10.46338/ijetae0521\\_05](https://doi.org/10.46338/ijetae0521_05)
7. Rotshtein, A. P. (1999). *Intellektualnye tekhnologii identifikatsii: nechetkie mnozhestva, geneticheskie algoritmy, neironnye seti*. Vinnitca: UNIVERSUM, 320.
8. Ramaji, I. J., Memari, A. M. (2018). Interpretation of structural analytical models from the coordination view in building information models. *Automation in Construction*, 90, 117–133. doi: <https://doi.org/10.1016/j.autcon.2018.02.025>
9. Pérez-González, C. J., Colebrook, M., Roda-García, J. L., Rosa-Remedios, C. B. (2019). Developing a data analytics platform to support decision making in emergency and security management. *Expert Systems with Applications*, 120, 167–184. doi: <https://doi.org/10.1016/j.eswa.2018.11.023>
10. Chen, H. (2018). Evaluation of Personalized Service Level for Library Information Management Based on Fuzzy Analytic Hierarchy Process. *Procedia Computer Science*, 131, 952–958. doi: <https://doi.org/10.1016/j.procs.2018.04.233>
11. Chan, H. K., Sun, X., Chung, S.-H. (2019). When should fuzzy analytic hierarchy process be used instead of analytic hierarchy process? *Decision Support Systems*, 125, 113114. doi: <https://doi.org/10.1016/j.dss.2019.113114>
12. Osman, A. M. S. (2019). A novel big data analytics framework for smart cities. *Future Generation Computer Systems*, 91, 620–633. doi: <https://doi.org/10.1016/j.future.2018.06.046>
13. Gödri, I., Kardos, C., Pfeiffer, A., Vancza, J. (2019). Data analytics-based decision support workflow for high-mix low-volume production systems. *CIRP Annals*, 68 (1), 471–474. doi: <https://doi.org/10.1016/j.cirp.2019.04.001>
14. Harding, J. L. (2013). Data quality in the integration and analysis of data from multiple sources: some research challenges. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XL-2/W1, 59–63. doi: <https://doi.org/10.5194/isprsarchives-xl-2-w1-59-2013>
15. Kosko, B. (1986). Fuzzy cognitive maps. *International Journal of Man-Machine Studies*, 24 (1), 65–75. doi: [https://doi.org/10.1016/s0020-7373\(86\)80040-2](https://doi.org/10.1016/s0020-7373(86)80040-2)
16. Gorelova, G. V. (2013). Kognitivnyi podkhod k imitaciiomnomu modelirovaniu slozhnykh sistem. *Izvestiia IuFu. Tekhnicheskie nauki*, 3, 239–250.
17. Orouskhani, M., Orouskhani, Y., Mansouri, M., Teshnehlab, M. (2013). A Novel Cat Swarm Optimization Algorithm for Unconstrained Optimization Problems. *International Journal of Information Technology and Computer Science*, 5 (11), 32–41. doi: <https://doi.org/10.5815/ijitcs.2013.11.04>
18. Meyer, P., Roubens, M. (2006). On the use of the Choquet integral with fuzzy numbers in multiple criteria decision support. *Fuzzy Sets and Systems*, 157 (7), 927–938. doi: <https://doi.org/10.1016/j.fss.2005.11.014>
19. Lau, N., Jamieson, G. A., Skraaning, G., Burns, C. M. (2008). Ecological Interface Design in the Nuclear Domain: An Empirical Evaluation of Ecological Displays for the Secondary Subsystems of a Boiling Water Reactor Plant Simulator. *IEEE Transactions on Nuclear Science*, 55 (6), 3597–3610. doi: <https://doi.org/10.1109/tns.2008.2005725>

**Nina Kuchuk**, Doctor of Technical Sciences, Professor, Department of Computer Engineering and Programming, National Technical University «Kharkiv Polytechnic Institute», Kharkiv, Ukraine, ORCID: <https://orcid.org/0000-0002-0784-1465>

✉ **Andrii Shyshatskiy**, PhD, Senior Researcher, Associate Professor, Department of Computerized Management Systems, National Aviation University, Kyiv, Ukraine, e-mail: [ierikon13@gmail.com](mailto:ierikon13@gmail.com), ORCID: <https://orcid.org/0000-0001-6731-6390>

**Yurii Zhuravskiy**, Doctor of Technical Science, Senior Research Fellow, Head of Department of Electrical Engineering and Electronics, Zhytomyr Military Institute named after S. P. Koroliov, Zhytomyr, Ukraine, ORCID: <https://orcid.org/0000-0002-4234-9732>

**Tetiana Stasiuk**, Lecturer, Cyclic Commission of General Education Disciplines, Sergeant Military College, Military Institute of Telecommunications and Information Technologies named after Heroes of Kruty, Poltava, Ukraine, ORCID: <https://orcid.org/0009-0004-8434-1853>

**Oleksii Nalapko**, PhD, Senior Research Fellow, Scientific-Research Laboratory of Automation of Scientific Researches, Central Scientific-Research Institute of Armaments And Military Equipments of The Armed Forces Of Ukraine, Kyiv, Ukraine, ORCID: <https://orcid.org/0000-0002-3515-2026>

**Peter Shlusar**, Research Fellow, Research Institute of Military Intelligence, Kyiv, Ukraine, ORCID: <https://orcid.org/0009-0007-3738-2523>

**Nadiia Protas**, PhD, Associate Professor, Department of Information Systems and Technologies, Poltava State Agrarian University, Poltava, Ukraine, ORCID: <https://orcid.org/0000-0003-0943-0587>

**Olena Shaposhnikova**, PhD, Associate Professor, Department of Computer Systems, Kharkiv National Automobile and Highway University, Kharkiv, Ukraine, ORCID: <https://orcid.org/0000-0002-0405-8205>

**Sergii Pronin**, PhD, Associate Professor, Department of Computer Systems, Kharkiv National Automobile and Highway University, Kharkiv, Ukraine, ORCID: <https://orcid.org/0000-0002-7475-621X>

**Oksana Havryliuk**, Researcher, Scientific Center, Military Institute of Telecommunications and Information Technologies named after Heroes of Kruty, Kyiv, Ukraine, ORCID: <https://orcid.org/0000-0001-8694-7251>

✉ Corresponding author